

Amendments to the Claims:

*This listing of claims will replace all prior versions, and listings, of claims in the application: **Listing of Claims:***

- 1 Claim 1 (currently amended). A land plane comprising:
 - 2 (a) a main frame including a front end, a rear end, a first side, and a second sides;
 - 3 (b) a first wing frame attached to said first side of said main frame adjacent said
 - 4 front end of said main frame;
 - 5 (c) a second wing frame attached to said second side of said main frame adjacent
 - 6 said rear end of said main frame;
 - 7 (d) a V-shaped ~~scrapper~~ scraper blade means having an apex and mounted
 - 8 beneath said main frame with said apex adjacent said front end of said main frame
 - 9 substantially centered between said first and second sides of said main frame;
 - 10 (e) a first transverse ~~scrapper~~ scraper blade means mounted beneath said main
 - 11 frame, said first wing frame, and said second wing frame; said first transverse ~~scrapper~~
 - 12 scraper blade means extending diagonally from said first wing frame across said main
 - 13 frame to said second wing frame; said first transverse ~~scrapper~~ scraper blade means
 - 14 having a gap adjacent said second side of said main frame; and
 - 15 (f) a second transverse ~~scrapper~~ scraper blade means mounted beneath said main
 - 16 frame, said first wing frame, and said second wing frame; said second transverse ~~scrapper~~
 - 17 scraper blade means being parallel to and spaced rearwardly from said first transverse
 - 18 ~~scrapper~~ scraper blade means, and extending diagonally from said first wing frame across

Application No. 10/772,659
Reply to Office action of June 21, 2005

19 said main frame to said second wing frame.

1 Claim 2 (currently amended). The land plane of claim 1 in which said first
2 transverse ~~scrapper~~ scraper blade means includes a first ~~scrapper~~ scraper blade mounted
3 beneath said first wing frame, a main ~~scrapper~~ scraper blade mounted beneath said main
4 frame, and a second ~~scrapper~~ scraper blade mounted beneath said second wing frame
5 with said gap of said first transverse ~~scrapper~~ scraper blade means formed between said
6 main and second ~~scrapper~~ scraper blades; and in which said second transverse ~~scrapper~~
7 scraper blade means includes a first ~~scrapper~~ scraper blade mounted beneath said first
8 wing frame, a main ~~scrapper~~ scraper blade mounted beneath said main frame, and a
9 second ~~scrapper~~ scraper blade mounted beneath said second wing frame.

1 Claim 3 (original). The land plane of claim 2 in which said first wing frame is
2 pivotally attached to said first side of said main frame for movement between a raised
3 position and a deployed position; in which said second wing frame is pivotally attached
4 to said second side of said main frame for movement between a raised position and a
5 deployed position.

1 Claim 4 (currently amended). A land plane for being pulled by a tow vehicle over
2 a field to smooth and level any irregularities in the surface of the field; said land plane
3 comprising:
4 (a) a main frame including a front end, a rear end, a first side, and a second side;
5 (b) a first wing frame pivotally attached to said first side of said main frame

Application No. 10/772,659
Reply to Office action of June 21, 2005

- 6 adjacent said front end of said main frame;
- 7 (c) hydraulic means for causing said first wing frame to pivot between a raised
8 position and a deployed position;
- 9 (d) a second wing frame pivotally attached to said second side of said main frame
10 adjacent said rear end of said main frame;
- 11 (e) hydraulic means for causing said second wing frame to pivot between a raised
12 position and a deployed position;
- 13 (f) a V-shaped ~~scrapper~~ scraper blade means having an apex and mounted to and
14 beneath said main frame with said apex adjacent said front end of said main frame
15 substantially centered between said first and second sides of said main frame;
- 16 (g) a first transverse ~~scrapper~~ scraper blade means mounted to and beneath said
17 main frame, said first wing frame, and said second wing frame; said first transverse
18 ~~scrapper~~ scraper blade means extending diagonally from said first wing frame across said
19 main frame to said second wing frame; said first transverse ~~scrapper~~ scraper blade means
20 having a gap adjacent said second side of said main frame; said first transverse ~~scrapper~~
21 scraper blade means includes a first ~~scrapper~~ scraper blade mounted to and beneath said
22 first wing frame, a main ~~scrapper~~ scraper blade mounted to and beneath said main frame,
23 and a second ~~scrapper~~ scraper blade mounted to and beneath said second wing frame
24 with said gap of said first transverse ~~scrapper~~ scraper blade means formed between said
25 main and second ~~scrapper~~ scraper blades;
- 26 (h) a second transverse ~~scrapper~~ scraper blade means mounted to and beneath
27 said main frame, said first wing frame, and said second wing frame; said second
28 transverse ~~scrapper~~ scraper blade means being parallel to and spaced rearwardly from

Application No. 10/772,659
Reply to Office action of June 21, 2005

29 first transverse ~~scraper~~ scraper blade means, and extending diagonally from said first
30 wing frame across said main frame to said second wing frame; said second transverse
31 ~~scraper~~ scraper blade means including a first ~~scraper~~ scraper blade mounted to and
32 beneath said first wing frame, a main ~~scraper~~ scraper blade mounted to and beneath
33 said main frame, and a second ~~scraper~~ scraper blade mounted to and beneath aid
34 second wing frame;
35 (i) a hitch attached to the top of said front end of said main frame for allowing
36 said land plane to be hitched to the tow vehicle; and
37 (j) a hydraulic cylinder between said hitch said the top of said front end of said
38 main frame.